Inventor: Kolter et al.

Reply to Office Action of 03 July 2006

Docket No.: 51284

Amendments to the Claims:

- (currently amended) An oral dosage form with delayed release of active ingredient and high mechanical stability, comprising
 - a) one or more active ingredients
 - b) from 20 to 80%, based on the total weight of the dosage form, of a formulated mixture of polyvinyl acetate and polyvinylpyrrolidone
 - c) water soluble polymers or low or high molecular weight lipophilic additives
 - d) and other conventional excipients,

wherein the ratio of polyvinyl acetate to polyvinylpyrrolidone is from 6:4 to 9:1 and said formulation formulated mixture of polyvinyl acetate and polyvinylpyrrolidone facilitates said delayed release.

- 2. (canceled)
- (previously presented) An oral dosage form a claimed in claim 1, wherein a formulated mixture of polyvinyl acetate and polyvinylpyrrolidone in the ratio 8:2 is employed.
- 4. (previously presented) A oral dosage from as claimed in claim 1, which is a tablet, extrudate, pellet or granulate.
- (previously presented) An oral dosage form as claimed in claim 1, wherein a watersoluble or water-insoluble release-delaying coating is applied to the oral dosage form.
- 6. (previously presented) An oral dosage form as claimed in claim 1, wherein the water-soluble or lipophilic polymers are selected from the group consisting of: polyvinyl alcohols, polyethylene glycols, polyoxyethylene/polyoxypropylene block copolymers, polyvinylpyrrolidones and derivatives, and vinyl acetate/vinylpyrrolidone copolymers.

Inventor: Kolter et al.

Reply to Office Action of 03 July 2006

Docket No.: 51284

7. (previously presented) An oral dosage form as claimed in claim 1, wherein the water-soluble swelling polymers are selected from the group consisting of: alginates, pectins, galactomannans, carrageenans, dextran, curdlan, pullulan, gellan, chitin, gelatin,

xanthans, hemicelluloses, cellulose derivatives and starch and salts thereof.

8. (previously presented) An oral dosage form as claimed in claim 1, wherein the lipophilic

additives are selected from the group consisting of: cellulose derivatives, acrylic

ester/methacrylic ester copolymers, fatty alcohols, fatty acids, fatty acid esters and fatty

alcohol esters, glycerides, waxes, and lecithin.

9. (previously presented) An oral dosage form as claimed in claim 1, which is produced by

direct compression, extrusion, melt extrusion, pelleting, compaction, wet granulation.

10. (currently amended) An oral dosage form as claimed in claim 1, wherein the conventional

excipient comprises:

binder, extenders/fillers, disintegrants, lubricants, flow regulators, dyes, or

stabilizers such as antioxidants, wetting agents, preservatives, release agents, flavorings

and sweeteners are employed as conventional excipients.

11. (previously presented) An oral dosage as claimed in claim 1, wherein the formulated

mixture of polyvinyl acetate and polyvinylpyrrolidone is present in a proportion of from

greater than 20% to less than or equal to 80% based on the total weight of the dosage

form.

12. (previously presented) An oral dosage form as claimed in claim 1, wherein the water-

soluble polymers and/or the lipophilic additives are present in a proportion of from 1 to

40% based on the total weight of the dosage form.

Page 4 of 16

Inventor: Kolter et al.

Reply to Office Action of 03 July 2006

Docket No.: 51284

13. (previously presented) An oral dosage form as claimed in claim 1, wherein hydroxypropylmethylcellulose are employed as water-soluble polymers.

- 14. (previously presented) An oral dosage form as claimed in claim 1, wherein in polyvinylpyrrolidones or vinyl acetate/vinylpyrrolidone copolymers are employed was water-soluble polymers.
- 15. (previously presented) An oral dosage form as claimed in claim 1, which is a presscoated tablet whose core is rich in active ingredient.
- 16. (previously presented) An oral dosage form as claimed in claim 1, which comprises as active ingredients food supplements or additives, vitamins, minerals or trace elements or active pharmaceutical ingredients.
- 17. (previously presented) An oral dosage as claimed in claim 1, which comprised active pharmaceutical ingredients as active ingredients.
- 18. (previously presented) The dosage form as claimed in claim 1, wherein the active pharmaceutical ingredient is selected from the group consisting of benzodiazepines, antihypertensives, vitamins, cytostatics, anesthetics, neuroleptics, antidepressants, antibiotics, antimycotics, fungicides, chemotherapeutics, urologicals, platelet aggregation inhibitors, sulfonamides, spasmolytics, hormones, immunoglobulins, sera, thyroid therapeutics, psychopharmaceuticals, antiparkinson agents and other antihyperkinetics, ophthalmologicals, neuropathy products, calcium metabolism regulators, muscle relaxants, lipid—lowering agents, liver therapeutics, coronary agents, cardiac agents, immunotherapeutics, regulatory peptides and their inhibitors, hypnotics, sedatives, gynecologicals, antigout agents, fibrinolytics, enzyme products and transport proteins,

Inventor: Kolter et al.

Reply to Office Action of 03 July 2006

and weight-reducing agents.

Docket No.: 51284

enzyme inhibitors, emetics, perfusion promoters, diuretics, diagnostics, corticoids, cholinergics, biliary therapeutics, antiasthmatics, bronchospasmolytics, beta-receptor blockers, calcium channel blockers, ACE inhibitors, arteriosclerosis remedies, antiinflammatory agents, anticoagulants, antihypotensives, antihypoglycemics, antifibrinolytics, antiepileptics, antiemetics, antidotes, antidabetics, antiarrhythmics, antianemics, antiallergics, anthelmintics, analgesics, analeptics, aldosterone antagonists,

- (previously presented) A drug for delayed release of active ingredients, which is an oral dosage form as claimed in claim 1.
- 20. (canceled)
- 21. (previously presented) Food supplements or additives, or vitamins, minerals or trace elements comprising the oral dosage form as claimed in claim 1 for delayed release of active ingredients.
- 22. (previously presented) An oral dosage form as claimed in claim 6 wherein the water-soluble or lipophilic polymers are selected from the group consisting of polyethylene glycols, polyvinylpyrrolidones, vinyl acetate/vinylpyrrolidone copolymers or maltodextrins, and salts thereof.
- 23. (previously presented) The oral dosage form as claimed in claim 7, wherein the cellulose derivatives are selected from the group consisting of methylcellulose, methylhydroxyethylcellulose, carboxymethylcellulose and wherein the starch derivatives are selected from the group consisting of carboxymethyl starch, degraded starch, polyacrylic acid, polymethacrylic acid, acrylic acid/methacrylic acid copolymers.

Inventor: Kolter et al.

Reply to Office Action of 03 July 2006

Docket No.: 51284

24. (previously presented) The oral dosage form as claimed in claim 8, wherein the lipophilic additives are selected from the group consisting of cellulose derivatives which are ethylcellulose, cellulose acetate, cellulose acetate phthalate, cellulose acetate succinate, hydroxy propylmethylcellulose acetate phthalate, or hydroxypropylmethylcellulose acetate succinate, acrylic ester/ethacrylic ester copolymers which are methyl methacrylate/ethyl acrylate copolymers, ammoniomethacrylate copolymer type A and type B, methacrylic acid/acrylic ester copolymers or methacrylic acid/ethyl acrylate copolymers, fatty alcohols which are stearyl alcohols, fatty acids which are stearic acid,

25. (withdrawn) A method for making an oral dosage form with delayed release of active ingredient and high mechanical stability by processing an oral dosage form with delayed release of active ingredient and high mechanical stability, comprising combining

fatty acid esters and fatty alcohol esters, glycerides, waxes and lecithin.

- a) one or more active ingredients
- b) from 20 to 80%, based on the total weight of the dosage form, of a formulated mixture of polyvinyl acetate and polyvinylpyrrolidone
- c) water soluble polymers or low or high molecular weight lipophilic additives
- d) and other conventional excipients,

wherein the ratio of polyvinyl acetate to polyvinylpyrrolidone is from 6:4 to 9:1 and said formulation facilitates said delayed release.

- 26. (withdrawn) The method for making an oral dosage form with delayed release of active ingredient and high mechanical stability by processing an oral dosage form with delayed release of active ingredient and high mechanical stability of claim 25 further comprising a step selected from the group consisting of melt extrusion, film coating and press coating.
- 27. (new) An oral dosage form as claimed in claim 1, wherein the stabilizer comprises an

Application No.: 09/811,546 Inventor: Kolter et al.

Reply to Office Action of 03 July 2006 Docket No.: 51284

antioxidant, a wetting agent, a preservative, a release agent, a flavoring or a sweetener.